


# Measles

IT ISN'T JUST A LITTLE RASH




Measles can be dangerous, especially for babies and young children.

## MEASLES SYMPTOMS TYPICALLY INCLUDE

- High fever (may spike to more than 104° F)
- Cough
- Runny nose
- Red, watery eyes
- Rash breaks out 3-5 days after symptoms begin



## Measles Can Be Serious



About 1 out of 4 people who get measles will be hospitalized.



1 out of every 1,000 people with measles will develop brain swelling due to infection (encephalitis), which may lead to brain damage.



1 or 2 out of 1,000 people with measles will die, even with the best care.

You have the power to protect your child.



Provide your children with **safe** and **long-lasting protection** against measles by making sure they get the **measles-mumps-rubella (MMR) vaccine** according to CDC's recommended immunization schedule.

[WWW.CDC.GOV/MEASLES](http://WWW.CDC.GOV/MEASLES)

# Top 4 Things Parents Need to Know about Measles

*You may be hearing a lot about measles lately, and all of this news on TV, social media, Internet, newspapers and magazines may leave you wondering what you as a parent really need to know about this disease. CDC has put together a list of the most important facts about measles for parents like you.*

1

## Measles can be serious.

Some people think of measles as just a little rash and fever that clears up in a few days, but measles can cause serious health complications, especially in children younger than 5 years of age. There is no way to tell in advance the severity of the symptoms your child will experience.

- About 1 in 4 people in the U.S. who get measles will be hospitalized.
- 1 out of every 1,000 people with measles will develop brain swelling, which could lead to brain damage.
- 1 or 2 out of 1,000 people with measles will die, even with the best care.

Some of the more common measles symptoms include:

- Fever
- Rash
- Runny nose
- Red eyes

2

## Measles is very contagious.

Measles spreads through the air when an infected person coughs or sneezes. It is so contagious that if one person has it, 9 out of 10 people around him or her will also become infected if they are not protected. Your child can get measles just by being in a room where a person with measles has been, even up to two hours after that person has left. An infected person can spread measles to others even before knowing he/she has the disease—from four days before developing the measles rash through four days afterward.



3

## Your child can still get measles in United States.

Measles was declared eliminated from the U.S. in 2000 thanks to a highly effective vaccination program. Eliminated means that the disease is no longer constantly present in this country. However, measles is still common in many parts of the world, including some countries in Europe, Asia, the Pacific, and Africa. Worldwide, an estimated 20 million people get measles and 146,000 people, mostly children, die from the disease each year.

Even if your family does not travel internationally, you could come into contact with measles anywhere in your community. Every year, measles is brought into the United States by unvaccinated travelers (Americans or foreign visitors) who get measles while they are in other countries. Anyone who is not protected against measles is at risk.

4

## You have the power to protect your child against measles with a safe and effective vaccine.

The best protection against measles is measles-mumps-rubella (MMR) vaccine. MMR vaccine provides long-lasting protection against all strains of measles. Your child needs two doses of MMR vaccine for best protection:

- The first dose at 12 through 15 months of age
- The second dose 4 through 6 years of age

If your family is traveling overseas, the vaccine recommendations are a little different:

- If your baby is 6 through 11 months old, he or she should receive 1 dose of MMR vaccine before leaving.
- If your child is 12 months of age or older, he or she will need 2 doses of MMR vaccine (separated by at least 28 days) before departure.

FEB 2015

National Center for Immunization and Respiratory Diseases

Division of Viral Diseases

